PRO-LOCK®

Safety & Procurement Services

CATALOGUE



WWW.PRO-LOCK.CO.UK

Welcome to the new
PRO-LOCK® CATALOGUE...

Our new catalogue showcases our unique range of Pro-Locks, the first colour coded, reusable AND low carbon solution to lock-out needs in the world. Also included are Lockout/Tagout products essential to operate efficiently, including a selection of Master Lock products for whom we are distributors.

So, if you don't see the product, you are looking for, let us know and we will be able to source it for you. Following the success of the Bio seal we have extended this material to the heavy-duty seal to enhance the biodegradability of the products we offer.

Thank you for your continued business and we look forward to working with customers old and new.

Neil Blair
Owner & Founder

Ellen Blair
Managing Director

Pro-Lock ® Safety Limited

CONTENTS

2: **Introduction**

3: **Contents**

4-5: **Pro-Lock® Standard & Data Sheet**

6-7: **Pro-Lock® Large & Data Sheet**

8-9: **Pro-Lock® Large Hex Head & Data Sheet**

10-11: **Pro-Lock® Stainless Steel & Data Sheet**

12-13: **Pro-Lock® Wire**

14: **Pro-Lock® Operating Tool**

15: **Pro-Lock® Operating Instructions**

16: **Security Seals Biodegradable**

17-18: **Security Seals Standard, Heavy Duty & Data Sheet**

19-20: **Large Flag Security Seals & Data Sheet**

21-22: **Cable Locks & Data Sheet**

23-24: **Brass Padlocks**

25: **Padlock View Cabinet & Hasp**

26: **Hasps & Tags**

27: **Tags**

28-30: **Electrical Lockout**

31: **Additional Valve Lockout**

32: **Lockout Stations**

33: **Cutters & Swagers / Lockout Toolbag & Lockout Belt Pouch**

34-39: **Master Lock Products**

*****MOQ: Minimum order quantity applies on some products*****

WWW.PRO-LOCK.CO.UK

PRO-LOCK® STANDARD

OUR RE-USABLE AND UNIVERSAL CABLE LOCKOUT DEVICE IS IDEAL FOR SECURING MOST VALVES, ISOLATORS AND INDUSTRIAL MACHINES.

PRO-LOCK® WITHOUT WIRE

Cone Head to be opened and locked using only the Pro-Lock® Operating Tool.

Available in 4 colours

Red, Yellow, Green and Blue

PRO-LOCK, WITHOUT WIRE

PRO-LOCK® WITH WIRE

Supplied with a 1.5M wire, cut and looped at one end. Cone Head to be opened and locked using only the Pro-Lock® Operating Tool.

Available in 4 colours

Red, Yellow, Green and Blue

PRO-LOCK, WITH WIRE

OUR PRO-LOCK® COMPLETE SYSTEM

Supplied with a 1.5M wire, cut and looped at one end and a Pro-Lock® Operating Tool Cone Head to be opened and locked using only the Pro-Lock® Operating Tool.

Available in 4 colours

Red, Yellow, Green and Blue



PRO-LOCK, COMPLETE SET

SKU CODE	DESCRIPTION
PR-01XS#WC	Pro-Lock® Without Wire
PR-01XS#S	Pro-Lock® With Wire
PROCOMPXS#C	Pro-Lock® Complete Set

Scan Me for up to date RRP pricing

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue. White available on request.

DATA SHEET PRO-LOCK® STANDARD

PRO-LOCK VALVE LOCKOUT DEVICE

SKU CODE	PRODUCT
PR-01XS#WC	Pro-Lock®
PR-01XS#S	Pro-Lock® including Wire
PROCOMPXS#C	Complete System (Pro-Lock®, Wire & Tool)
Wire-1.5M#	1.5M Looped Wire
PR-01TL#	Operating Tool

PR-01XS#WC

Pro-Lock® is moulded from MFI-1310, an Impact Copolymer Polypropylene. UV stabilised with resistance to oils and greases, plus excellent impact resistance, the applications for this material include automotive articles such as car bumpers, battery cases etc.

Independent operational and drop tests carried out between -55˚C and +55˚C. No significant deterioration in strength or problems with operation noted.

All Pro-Locks come with a 12 month warranty

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue.



Internals: M8 x 30mm 304/S15 Stainless Steel bolt, M8 nut, fabricated from 303 Stainless Steel.

Available in 4 colours with no MOQ

Red, Yellow, Green and Blue.
White available on request

PROPERTY	UNIT	TEST METHOD	VALUE
Tensile strength at yield	MPa	ISO 527-2	26
Flexural Modulas	MPa	ISO 176	1400
Tensile Modulus	MPa	ISO 527-2	1500
Elongation at yield	%	ISO 527-2	10
Izod impact notched at 23˚C	KJ/m2	ISO 80	9
Izod impact notched at -20˚C	KJ/m2	ISO 80	5.5
Charpy impact strength notched at 23˚C	KJ/m2	ISO 179	10
Charpy impact strength notched at -20˚C	KJ/m2	ISO 179	5
Hardness Rockwell - R-scale	KJ/m2	ISO 2039-2	85
Melting Point	˚C	ISO 3146	165
Vicat softening temperature 10N-50˚C per hr	˚C	ISO 306	145
Density	g/cm2	ISO 1183	.905
Bulk density	g/cm2	ISO 1183	.525

PRO-LOCK® LARGE

OUR RE-USABLE AND UNIVERSAL CABLE LOCKOUT DEVICE IS IDEAL FOR SECURING MOST VALVES, ISOLATORS AND INDUSTRIAL MACHINES.

LARGE PRO-LOCK® WITHOUT WIRE

Cone headed to be opened and locked using only the Pro-Lock® Head Operating Tool.

Larger 8.5mm holes for a larger shackle padlock.

Available in 4 colours

Red, Yellow, Green and Blue

PRO-LOCK LARGE, WITHOUT WIRE

PRO-LOCK® LARGE WITH WIRE

In addition to above, supplied with a 1.5m wire, cut and looped at one end.

Available in 4 colours

Red, Yellow, Green and Blue

PRO-LOCK LARGE, WITH WIRE

PRO-LOCK® LARGE COMPLETE SYSTEM

Supplied with a 1.5m wire and Pro-Lock® Operating Tool.

Cone headed to be opened and locked using only the Pro-Lock® Operating Tool.

Larger 8.5mm Holes for a larger shackle padlock.

Available in 4 colours

Red, Yellow, Green and Blue

PRO-LOCK LARGE, COMPLETE SET

SKU CODE	DESCRIPTION
PR-01XS#LSWC	Pro-Lock® Large Without Wire
PR-01XS#LS	Pro-Lock® Large With Wire
PROCOMPXS#LS	Pro-Lock® Large Complete Set

Scan Me for up to date RRP pricing

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue.

DATA SHEET PRO-LOCK® LARGE

PRO-LOCK® VALVE LOCKOUT DEVICES ARE ALSO AVAILABLE IN A LARGE MODEL, FEATURING OVERSIZED HOLES THAT ACCOMMODATE PADLOCKS WITH SHACKLES UP TO 8.5MM.

PR-01XS#LSWC

Large Pro-Lock® devices are designed with larger holes to accommodate larger padlocks up to 8.5mm shackle. **We recommend using the Master Lock Zenex padlocks for this device which you can find on page 38 & 39.**
Pro-Lock® is moulded from MFI-1310, an Impact Copolymer Polypropylene. UV stabilised with resistance to oils and greases, plus excellent impact resistance, the applications for this material include automotive articles such as car bumpers, battery cases etc.
Independent operational and drop tests carried out between -55˚C and +55˚C. No significant deterioration in strength or problems with operation noted.

Internals: M8 x 30mm 304/S15 Stainless Steel bolt, M8 nut, fabricated from 303 Stainless Steel.

Available in 4 colours with no MOQ

Red, Yellow, Green and Blue

All Pro-Locks come with a 12 month warranty



SKU CODE	PRODUCT
PR-01XS#LSWC	Pro-Lock®
PR-01XS#LS	Pro-Lock including Wire
PROCOMPXS#LS	Complete System (Pro-Lock®, Wire & Tool)
Wire-1.5M#	1.5M Looped Wire
PR-01TL#	Operating Tool

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue.

PRO-LOCK® LARGE HEX HEAD

OUR RE-USABLE AND UNIVERSAL CABLE LOCKOUT DEVICE IS IDEAL FOR SECURING MOST VALVES, ISOLATORS AND INDUSTRIAL MACHINES.

LARGE PRO-LOCK® HEX HEAD WITHOUT WIRE

Hex Head to be opened and locked using only the Pro-Lock® Hex Head Operating Tool.

Larger 8.5mm holes for a larger shackle padlock.

Available in 3 colours

Red, Yellow and Green

PRO-LOCK LARGE, HEX HEAD WITHOUT WIRE

PRO-LOCK® LARGE HEX HEAD WITH WIRE

In addition to above, supplied with a 1.5m wire, cut and looped at one end.

Available in 3 colours

Red, Yellow and Green

PRO-LOCK LARGE, HEX HEAD WITH WIRE

PRO-LOCK® LARGE HEX HEAD COMPLETE SYSTEM

Supplied with a 1.5m wire and Pro-Lock® Hex Head Operating Tool.

Hex Head to be opened and locked using only the Pro-Lock® Hex Head Operating Tool.

Larger 8.5mm holes for a larger shackle padlock.

Available in 3 colours

Red, Yellow and Green

PRO-LOCK LARGE, HEX HEAD COMPLETE SET

SKU CODE	DESCRIPTION
PR-01XS#DXWC	Pro-Lock® Hex Head Without Wire
PR-01XS#DX	Pro-Lock® Hex Head With Wire
ProCompXS#DX	Pro-Lock® Hex Head Complete Set

Scan Me for up to date RRP pricing

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue.

DATA SHEET PRO-LOCK® LARGE HEX HEAD LOCKOUT DEVICE

PRO-LOCK® VALVE LOCKOUT DEVICES ARE AVAILABLE AS A LARGE VERSION WITH A HEX HEAD INSTEAD OF THE TRADITIONAL CONE HEAD. THEY ARE DESIGNED WITH LARGER HOLES TO ACCOMMODATE LARGER PADLOCKS UPTO 8.5MM HASP.

PR-01XS#DXWC

Large Hex Head Pro-Lock® devices are designed with larger holes to accommodate larger padlocks upto 8.5mm shackle.
Pro-Lock® is moulded from MFI-1310, an Impact Copolymer Polypropylene. UV stabilised with resistance to oils and greases, plus excellent impact resistance, the applications for this material include automotive articles such as car bumpers, battery cases etc.
Independent operational and drop tests carried out between -55˚C and +55˚C. No significant deterioration in strength or problems with operation noted.

Internals: M8 x 30mm 304/S15 Stainless Steel bolt, M8 nut, fabricated from 303 Stainless Steel.





Available in 3 colours with no MOQ

Red, Yellow and Green

All Pro-Locks come with a 12 month warranty

SKU CODE	PRODUCT
PR-01XS#DXWC	Pro-Lock®
PR-01XS#DX	Pro-Lock® including Wire
PROCOMPXS#DX	Complete System (Pro-Lock®, Wire & Tool)
Wire-1.5M#	1.5M Looped Wire
PR-01TL#DX	Hex Head Operating Tool

Please Note: HEX Head Pro-Lock devices use a different Operating Tool. See code table.

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue.

PRO-LOCK® STAINLESS STEEL

DESIGNED FOR EXTREME ENVIRONMENTS WHERE THE STANDARD POLYPROPYLENE PRO-LOCK® MAY BE DEEMED UNSUITABLE. EACH STAINLESS STEEL PRO-LOCK® HAS 7MM HOLES TO FIT UP TO 6 PADLOCKS.

PRO-LOCK® STAINLESS STEEL WITHOUT WIRE

Cone headed to be opened and locked using only the Stainless Steel Pro-Lock® Operating Tool.

PRO-LOCK STAINLESS STEEL WITHOUT WIRE

PRO-LOCK® STAINLESS STEEL WITH WIRE

In addition to above, supplied with a 1.5m wire, cut and looped at one end.

PRO-LOCK STAINLESS STEEL, WITH WIRE

PRO-LOCK® STAINLESS STEEL COMPLETE SYSTEM

In addition to above, supplied with a 1.5m wire and Pro-Lock® Operating Tool.

PRO-LOCK STAINLESS STEEL, WIRE COMPLETE SET

SKU CODE	DESCRIPTION
PR-04XSWC	SS Pro-Lock® Without Wire
PR-04XS	SS Pro-Lock® With Wire
PRO-04COMP	SS Pro-Lock® Complete Set
WIRE-1.5MSS	SS 1.5M Looped Wire
PR-04TL	SS Operating Tool

Scan Me for up to date RRP pricing

PRO-LOCK VALVE LOCKOUT DEVICE

PR-04XSWC

Pro-Lock® Stainless Steel is another version of our lockout device for use in extreme environments where the standard polypropylene version may be unsuitable.

Specification: 316 free cutting Stainless Steel equivalent - Cast ANC4BFC

Internals: M8 x 30mm 304/S15 Stainless Steel bolt, M8 nut, fabricated from 303 Stainless Steel.
Available with no MOQ, also available to order in tandem with our Stainless Steel 1.5M looped wire and/or Stainless Steel Pro-Lock® Operating Tool.

Wire Specification:
2.5mm 7x7 Stainless Steel AISI 316 grade made to BS EN 12385 - 2002 Minimum breaking load 388kgs
Safe working load 77kgs
Weight per 100mtrs 2.5kgs

SKU CODE	PRODUCT
PR-04XSWC	Stainless Steel Pro-Lock®
PR-04XS	Stainless Steel Pro-Lock® including Wire
PR-04COMP	Complete Stainless Steel System (Pro-Lock®, Wire and Tool)
Wire-1.5MSS	Stainless Steel 1.5M Looped Wire
PR-04TL	Stainless Steel Operating Tool

PRO-LOCK® WIRE



1.5M WIRE

- 7x7 multi stranded Galvanised Steel
- 2.5mm diameter, PVC coated to 3.5mm
- Looped at one end using Aluminium Ferrule
- Available in Red, Yellow, Green and Blue.



1.5M WIRE, STAINLESS STEEL

- 7x7 multi stranded Stainless Steel
- PVC Coated to 3.5mm
- Looped at one end using Copper Ferrule
- Also available with a polypropylene coating in Red, Yellow and Green

2.5M WIRE

- 7x7 multi stranded Galvanised Steel
- PVC coated to 3.5mm
- Looped at one end using Aluminium Ferrule
- Available in Red, Yellow and Green

SKU CODE	DESCRIPTION
WIRE-1.5M#	1.5M Wire
WIRE-1.5MSS	1.5M Wire Stainless Steel
WIRE-1.5M#SSPP	1.5M Wire Stainless Steel (Red, Yellow, Green)
WIRE-2.5M#	2.5M Wire

Scan Me for up to date RRP pricing

Replace # with the first letter of your preferred colour option, R=Red, Y=Yellow, G=Green, B=Blue.

****Other colours and 2.5m available on request with a MOQ**

PRO-LOCK® WIRE

50M WIRE, 2.5MM

- Durable PVC-coated wire cable for added strength and protection.
- 2.5mm Diameter, PVC Coated wire to 3.5mm
- 7x7 multi standed Galvanised Steel
- Looped at one end using Aluminium Ferrule
- Specification to BS 302 1987
- Minimum breaking load of wire 435kgs
- Safe Working Load 87kgs
- Available in Red, Yellow, Green and Blue

ALUMINIUM AND COPPER FERRULES

- Aluminium Ferrules to be used with standard galvanised steel wire to create a loop at the end
- Copper Ferrules to be used with Stainless Steel wire to create a loop at the end
- Available in packs of 100

SKU CODE	DESCRIPTION
WireR50	50M Wire, Red
WireY50	50M Wire, Yellow
WireG50	50M Wire, Green
WireB50	50M Wire, Blue
FERR1000A	Aluminium Ferrules pack of 100
FERR1000C	Copper Ferrules pack of 100

Scan Me for up to date RRP pricing

PRO-LOCK® OPERATING TOOL

PRO-LOCK® OPERATING TOOL FOR EXTRA SECURE PRO-LOCKS®

STANDARD AND LARGER TOOLS

- For use with the Cone Headed Extra Secure Pro-Lock®, standard and large Pro-Locks
- Pro-lock® Operating Tools are moulded from Impact Copolymer Polypropylene MFI 13-20
- Excellent impact resistance
- Material tested to industry standards.
- Successful independent operational and drop tests carried out
- Resistance to oils and greases
- UV stabilised

SKU CODE	DESCRIPTION
PR-01TLR	Pro-Lock® Red Operating Tool
PR-01TLY	Pro-Lock® Yellow Operating Tool
PR-01TLG	Pro-Lock® Green Operating Tool
PR-01TLB	Pro-Lock® Blue Operating Tool

Scan Me for up to date RRP pricing

OPERATING TOOL FOR HEX HEAD PRO-LOCK®

- For use with the Hex Headed Pro-Locks
- Pro-lock® Operating Tools are moulded from Impact Copolymer Polypropylene MFI 13-20
- Excellent impact resistance
- Material tested to industry standards
- Successful independent operational and drop tests carried out
- Resistance to oils and greases
- UV stabilised

SKU CODE	DESCRIPTION
PR-01TLRDX	HEX Headed Pro-Lock® Red Operating Tool
PR-01TLYDX	HEX Headed Pro-Lock® Yellow Operating Tool
PR-01TLGDX	HEX Headed Pro-Lock® Green Operating Tool

Scan Me for up to date RRP pricing

PRO-LOCK® OPERATING INSTRUCTIONS

FOR USE WITH PRO-LOCKS® DEVICE, 1.5M WIRE AND OPERATING TOOL

1

Secure the valve handle to be locked with the wire.

2

Secure the wire to a fixed point.

3

Unscrew the top of the Pro-Lock® far enough to enable introduction of the wire from the sides.

4

Slot the wire into the Pro-Lock®.

5

Screw down the top and tighten by hand.

6

Slide the Pro-Lock® along the wire to the optimum position.

7

Hard tighten the device using the Pro-Lock® Operating Tool included in Pro-Lock complete sets or can be purchased individually.

8

For added security add padlocks or security seals, as necessary.

SECURITY SEALS BIODEGRADABLE

THE LATEST AND MOST ENVIRONMENTALLY FRIENDLY SECURITY SEAL AVAILABLE ON THE MARKET.

In its produced form, plastic will take centuries to biodegrade. Pro-Lock has assessed various forms of technologies in the form of additives that can enhance the biodegradability of our products. We have now tied up our technology provider with an additive that is:

- Simple to use and does not affect processing conditions of our products
- Not affecting the properties of the products as compared to its untreated form
- Food safe in accordance to FSA requirements
- Biodegradable only when the product is in an environment of high microbial activities, especially in landfill and composting sites
- Recyclable to the same extent as its untreated form
- Not degradable after manufacture and not requiring special storage after the products arrive at your storage sites

PRO-LOCK® BIODEGRADABLE SECURITY SEAL

The biodegradability of the treated products had been independently verified by approved independent laboratories in United States using testing methods ASTM D 5511 and ASTM D 5526. From the testings conducted, the treated products, depending on the form and type of plastic will biodegrade in 1 to 5 years as compared to centuries for untreated products.

STANDARDS AND CERTIFICATIONS

- ISO 14021:1999 on “Environmental Labels and Declarations” under the definition of “Biodegradable”
- ASTM D 5511, ISO DIS 15985, ASTM D 5526 and ASTM D 5338 on biodegradability
- FDA’s testing specifications 21 CFR 177.1630 and 21 CFR 177.1520 on Food Safety
- US EPA Method 8015 on being completely broken down
- EU Directive 94/62/EC Directive on “Packaging and Packaging Waste” and with plastic directives
- Directive 89/109/EEC” and “Directive 2002/72/EC”

SECURITY SEALS STANDARD & HEAVY DUTY BIODEGRADABLE

PRO-LOCK® SECURITY SEAL STANDARD BIO

- Approx overall length: 380mm
- Strap dimensions 2.3mm
- Locking space: 300mm
- Marking area: 15mm x 30mm
- Pull strength: 18kg (PP) 12kg (NY)
- Heat stamped, write-on panel, and nine consecutive numbers
- Can be customised with company name
  *** MOQ Applies, Supplied in boxes of 1,000***

Available in 4 colours

Red, Yellow, Green and White

PRO-LOCK® HEAVY DUTY SECURITY SEAL BIO

- Approx overall length: 580mm
- Strap dimensions 3.5mm
- Locking space: 457mm
- Marking area: 55mm x 20mm
- Pull strength: 35kg (PP) 40kg (NY)
- Heat stamped, write-on panel, and nine consecutive numbers
- Can be customised with company name
  *** MOQ Applies, Supplied in boxes of 1,000***

Available in 3 colours

Red, Yellow and Green

PRO-LOCK® MARKER PEN

Pro-Lock® Marker Pen is permanent for use with our security seals and tags.

SKU CODE	DESCRIPTION
SS-01#BIO	Pro-Lock® Biodegradable Security Seal
SS-01#HDBIO	Pro-Lock® Biodegradable Heavy Duty Security Seal
MARKER PEN	Pro-Lock® Permanent pen.

Scan Me for up to date RRP pricing

Replace # with first letter of your preferred colour option ie, R = Red

DATA SHEET SECURITY SEALS STANDARD & HEAVY DUTY BIODEGRADABLE

SS-01#BIO 2.3MM SEALS & SS-01#HDBIO 3.5MM SEALS

Pro-Lock® Security Seals are an adjustable Polypropylene which can complement the Pro-Lock® Valve Lockout System or be used for a variety of other applications.

A strong and durable indicative seal with highly tamper-evident security features. It is suitable for securing various sectors: banks, postal services, airline cargo, pharmaceuticals, food and beverages and transportation of high-value goods. Heat stamped, write-on panel, and nine consecutive numbers.



SS-01# and SS-01#HD seals available in:

SS-01#BIO - Red, Yellow, Green and White
SS-01#HD BIO - Red, Yellow and Green

Replace # in product code with R,G,Y or W for Red, Green, Yellow or White.

****MOQ** Available in boxes of 1000.**

SS-01#BIO - STANDARD SEAL

Approx overall length: 380mm
Strap dimensions: 2.3mm
Locking space: 300mm
Flag: 30mm x 15mm
Pull strength: 18kg (PP) / 21kg (NY)
Packaging x 1000:
45cm x 20cm x 17cm, 3.5kg

SS-01#HDBIO - HEAVY DUTY SEAL

Approx overall length: 580mm
Strap dimensions: 3.5mm
Locking space: 457mm
Flag: 55mm x 20mm
Pull strength: 40kg (NY)
Packaging x 1000:
66cm x 38cm x 38cm, 7.5kg



Other colours available on request. MOQ may apply.

LARGE FLAG SECURITY SEALS

LARGE FLAG SECURITY SEAL, RED

- Sequentially numbered
- 3 x write on panel
- 212mm tail
- Heat stamped 'PRO-LOCK' supplied in boxes of 500 **MOQ**

LARGE FLAG SECURITY SEAL, YELLOW

- Sequentially numbered
- 3 x write on panel
- 212mm tail
- Heat stamped 'PRO-LOCK' supplied in boxes of 500 **MOQ**

LARGE FLAG SECURITY SEAL, GREEN

- Sequentially numbered
- 3 x write on panel
- 212mm tail
- Heat stamped 'PRO-LOCK' Supplied in boxes of 500 **MOQ**

LARGE FLAG ISOLATION SEAL, ORANGE

- Sequentially numbered
- Write on panels
- 308mm tail
- Heat stamped 'PRO-LOCK' supplied in boxes of 500 **MOQ**

SKU CODE	DESCRIPTION
SSHE-002R	Pro-Lock® Large Security Seal RED
SSHE-002Y	Pro-Lock® Large Security Seal YELLOW
SSHE-002G	Pro-Lock® Large Security Seal GREEN
SSTL-003	Large Flag Isolation Seal ORANGE

Scan Me for up to date RRP pricing

DATA SHEET LARGE FLAG SECURITY SEALS

SSHE-002#

Our Large Flag Security Seals are an adjustable Polypropylene which can complement the Pro-Lock® Valve Lockout System or be used for a variety of other applications.

Heat stamped, write-on panels, and eight consecutive numbers.

Available in boxes of 500 in Red, Yellow and Green. **MOQ**

Other colours available on request. Replace # in product code with R=Red Y=Yellow G=Green



SSHE-002#- LARGE FLAG SEAL

Approx overall length: 298mm
Approx tail: 212mm
Flag: 72mm x 80mm
Packaging x 500: 40cm x 56cm x20cm, 4.5kg

SSTL-003

Our Large Flag Isolation Seals are an adjustable Polypropylene which can complement the Pro-Lock® Valve Lockout System or be used for a variety of other applications.

Heat stamped, write-on panels, and six consecutive numbers.

Available in boxes of 500 in Orange. **MOQ**



SSTL-003 - LARGE FLAG ISOLATION TAG SEAL

Approx overall length: 424mm
Approx tail: 308mm
Flag: 72mm x 110mm
Packaging x 500: 46cm x 56cm x24cm, 6kg

CABLE LOCKS

PRO-LOCK® CABLE LOCKS – SIMPLE, STRONG, SECURE.

PR-MC#250-500 CABLE LOCK 500MM LONG

- Available in Red, Green and Silver
- Aluminium multi-purpose
- Steel locking mechanism and steel wire
- Minimum order requirement 100
- Sequentially numbered and marked ‘Pro-lock’
- Marking area: 20x20mm
- Cable diameter: 2.5mm
- Tensile strength: 400kgs

PR-MC#250-1M CABLE LOCK, 1M LONG

- Available in Red, Green and Silver
- Aluminium multi-purpose
- Steel locking mechanism and steel wire
- Minimum order requirement 100
- Sequentially numbered and marked ‘Pro-lock’
- Marking area: 20x20mm
- Cable diameter: 2.5mm
- Tensile strength: 400kgs

STAINLESS STEEL CABLE LOCK, 1M LONG

- Zinc body and zinc locking mechanism for extra strength
- Stainless Steel cable
- Minimum order requirement 100
- Sequentially numbered and marked ‘Pro-lock’

SKU CODE	DESCRIPTION
PR-MC#250-500	Cable Lock, 500mm Length
PR-MC#250-1M	Cable Lock, 1M Length
PR-PL250SS-1000	SS Cable Lock, 1M Length

Scan Me for up to date RRP pricing

Replace # with first letter of colour thats requested R - Red, G - Green, C - Silver

DATA SHEET CABLE LOCKS

PR-MC#250-500
PR-MC#250-1M

Pro-Lock® Cable Locks are multi-purpose, versatile and heavy duty. They are built with a steel locking mechanism that provides the user with a high level of physical security.

The Stainless Steel wire is 2.5mm diameter and available in various lengths to fit countless types of applications.





PR-MC#250-500

Approx overall length: 520mm
Approx tail: 500mm
Head: 30mm x 20mm x 10mm

PR-MC#250-1M

Approx overall length: 1020mm
Approx tail: 1000mm
Head: 30mm x 20mm x 10mm

*Cable locks available in MOQ of 100
*Available in Red, Green and Silver

PR-PL250SS-1000

Pro-Lock® Cable Locks are multi-purpose, versatile and heavy duty. They are built with a Zinc locking mechanism that provides the user with a high level of physical security.

The Stainless Steel wire is 2.5mm diameter and available in 1M long to fit countless types of applications.

*Cable Locks available in MOQ of 100.



BRASS PADLOCKS

OUR RANGE OF BRITISH MADE BRASS PADLOCKS ARE IDEAL FOR USE IN LOCKOUT/TAGOUT SYSTEMS.

- Padlock bodies and keys numbered as standard
- Padlock numbers recorded for each customer to avoid duplication on future orders
- Up to 20,000 individual locking mechanisms available
- Rustproof brass bodies and shackles. (steel also available on request)
- Padlocks can be made to your specific keying requirements
- Other padlocks are available on request with a MOQ

KEYED TO DIFFER *D

Each padlock is keyed differently, supplied with 2 keys per lock. 20,000 individual padlocks available

KEYED ALIKE *A

Each padlock is keyed the same, 1 key will open all padlocks

KEYED MASTER & DIFFER *MD

Each padlock is keyed differently, supplied with 2 keys per lock. Each set of padlocks have 1 master key - SOLD SEPARATELY

STANDARD SHACKLES

PRODUCT CODE	BODY SIZE	SHACKLE CLEARANCE	SHACKLE DIAMETER
S32*	32mm	15mm	4.7mm
S38*	38mm	19mm	6.3mm
S51*	51mm	25mm	8.7mm

MEDIUM SHACKLES

PRODUCT CODE	BODY SIZE	SHACKLE CLEARANCE	SHACKLE DIAMETER
M32*	32mm	32mm	4.7mm
M38*	38mm	38mm	6.3mm
M51*	51mm	51mm	8.7mm

LONG SHACKLES

PRODUCT CODE	BODY SIZE	SHACKLE CLEARANCE	SHACKLE DIAMETER
L32*	32mm	51mm	4.7mm
L38*	38mm	64mm	6.3mm
L51*	51mm	80mm	8.7mm

BRASS PADLOCKS

STANDARD SHACKLES

SKU CODE	DESCRIPTION
Pad-S32D	S32 Keyed to Differ
Pad-S32A	S32 Keyed Alike
Pad-S32MD	S32 Master and Differ
Pad-S38D	S38 Keyed to Differ
Pad-S38A	S38 Keyed Alike
Pad-S38MD	S38 Master and Differ
Pad-S51D	S51 Keyed to Differ
Pad-S51A	S51 Keyed Alike
Pad-S51MD	S51 Master and Differ

Scan Me for up to date RRP pricing

MEDIUM SHACKLES

SKU CODE	DESCRIPTION
Pad-M32D	M32 Keyed to Differ
Pad-M32A	M32 Keyed Alike
Pad-M32MD	M32 Master and Differ
Pad-M38D	M38 Keyed to Differ
Pad-M38A	M38 Keyed Alike
Pad-M38MD	M38 Master and Differ
Pad-M51D	M51 Keyed to Differ
Pad-M51A	M51 Keyed Alike
Pad-M51MD	M51 Master and Differ

Scan Me for up to date RRP pricing

LONG SHACKLES

SKU CODE	DESCRIPTION
Pad-L32D	L32 Keyed to Differ
Pad-L32A	L32 Keyed Alike
Pad-L32MD	L32 Master and Differ
Pad-L38D	L38 Keyed to Differ
Pad-L38A	L38 Keyed Alike
Pad-L38MD	L38 Master and Differ
Pad-L51D	L51 Keyed to Differ
Pad-L51A	L51 Keyed Alike
Pad-L51MD	L51 Master and Differ

Scan Me for up to date RRP pricing

SKU CODE	DESCRIPTION
Pad-KeyM	Master Key
Pad-KeyR	Additional Repeat Key
Pad-CO1	Colour Coding Padlock
PAD-CO1HEAD	Colour Coding Padlock Key

Scan Me for up to date RRP pricing

PADLOCK VIEW & HASPS

PADLOCK VIEW CABINET

Specially designed to house padlocks and keys used to isolate switchgear or machinery.

Padlock view cabinets have a plexi-glass front allowing users a clear visual check of all stored padlocks without the need for unlocking the door.

As standard, our padlock view cabinets are fitted with extra deep hooks, staggered and spaced 60mm apart.

- Available in three sizes, with space for 15, 20 and 25 padlocks.
- Hooks can be used for storing lockout hasps.
- Strongly made steel cabinet with flush closing rim to resist forced entry
- Ingenious key tabs are designed to hang so numbers are always visible

SKU CODE	DESCRIPTION
PRO-RKS15PLV	15 Padlock Cabinet
PRO-RKS20PLV	20 Padlock Cabinet
PRO-RKS25PLV	25 Padlock Cabinet

Scan Me for up to date RRP pricing

***Other key and padlock cabinets available on request.**

STAINLESS STEEL LOCKOUT HASP

Our popular MLH1 Stainless Steel Lockout Hasp can be supplied with a Stainless Steel chain attachment making it suitable for valve isolation or for securing next to isolation points.

Being fully Stainless Steel these hasps can withstand the extremes of all industrial environments.

Dimensions: 48mm body, 25mm shackle, 5mm Diameter, 8mm Holes.

These hasps can be sold on their own or with a 6” Stainless Steel chain.

***Other lengths available on request**

SKU CODE	DESCRIPTION
PRO-MLH1	Stainless Steel Hasp
PRO-MLH1C6	Stainless Steel Hasp 6” Chain

Scan Me for up to date RRP pricing

HASPS

RED PLASTIC COATED, STEEL LOCKOUT HASP

- Manufactured from steel with a red plastic coated body.
- Scissor action
- Accepts padlocks with a shackle diameter up to 10mm
- 25mm and 38mm diameter jaws
- Accepts up to 6 padlocks

SKU CODE	DESCRIPTION
PRO-SH01	Small Jaw Lockout Hasp Red
PRO-SH02	Large Jaw Lockout Hasp Red

Scan Me for up to date RRP pricing

FLEXIBLE NYLON LOCKOUT HASP - NON-CONDUCTIVE

- Manufactured from flexible nylon
- 50mm body
- 22mm to 25mm x 80mm shackle,
- 9mm holes
- Accepts up to 6 padlocks

SKU CODE	DESCRIPTION
PRO-NH01	Flexible Nylon Lockout Hasp

Scan Me for up to date RRP pricing

TAGS

DANGER - DO NOT OPERATE TUFF TAGS (PACK OF 10)

- Manufactured from a double layer of high impact styrene with a brass eyelet
- Shackle diameter of up to 8mm
- These tags easily pass the 50lbs “pull force” required by OSHA and offer a double sided, easy to write surface
- H 146mm X W 75m

SKU:LT01 **SKU:LT02** **SKU:LT03**

SKU CODE	DESCRIPTION
Under Tag	Do Not Operate Tuff Tags

Scan Me for up to date RRP pricing

TAGS

REUSABLE AND DEGRADABLE 145 X 80MM TAGS (PACK OF 10)

- Homogeneous printed image
- Water-repellent surface
- High stiffness and rigidity
- FSC Certified
- Other options available on request
- Suitable for use with our Pro-Lock Marker Pen on **page 17**.

SKU:PRO-RPT28CR-E

SKU:PRO-LSE10T

SKU:PRORPT16CR

SKU CODE	DESCRIPTION
Under Tag	145 x 80mm Tags (Pack Of 10)

Scan Me for up to date RRP pricing

DISPOSABLE CAR SEAL TAG

- Made from paper like polybond, easy to write on
- Dimensions 145mm x 80mm
- Supplied in packs of 100

SKU CODE
Under Tag

Scan Me for up to date RRP pricing

SKU:PRO-RLOT8 SKU:PRO-RLOT9

STAINLESS STEEL VALVE TAG - RED/GREEN

- Made from powder coated British Manufactured Stainless Steel
- 40mm diameter
- Supplied individually

SKU CODE
PRO-TAGSEAL# GREEN
PRO-TAGSEAL# RED

Scan Me for up to date RRP pricing

TWO PART ISOLATION TAG

- Made from PVC
- Size 265mm x 100mm
- Supplied in packs of 50

SKU CODE
PRO-ISATAG50

Scan Me for up to date RRP pricing

ELECTRICAL LOCKOUT

UNIVERSAL LOCKOUT FOR MINIATURE CIRCUIT BREAKERS 'NO TOOL' AND GRUB SCREW

- Will lock out many types of miniature circuit breakers
- Locks out 1 - 4 pole circuit breakers
- Dimensions: 45mm x 25mm x 10mm
- Made from durable plastic
- Maximum clamping 8mm
- 8mm padlock hole

SKU CODE	DESCRIPTION
PRO-CBL01-2	Circuit Breaker Lockout 'No Tool'
PRO-CBL01-1	Circuit Breaker Lockout With Grub Screw

Scan Me for up to date RRP pricing

CIRCUIT BREAKER LOCKOUT FOR 1-4 POLES 'NO TOOL' AND GRUB SCREW

This is secured using a small electricians screwdriver to clamp the grubscrew down on the breaker arm.

- Locks out 1- 4 pole circuit breakers
- Dimensions: 53mm x 19mm x 25mm
- Made from durable plastic
- 8mm padlock hole

SKU CODE	DESCRIPTION
PRO-CBL02-2	Large Circuit Breaker Lockout 'No Tool'
PRO-CBL02-1	Large Circuit Breaker Lockout With Grub Screw

Scan Me for up to date RRP pricing

UNIVERSAL LOCKOUT FOR LARGE CIRCUIT BREAKERS 'NO TOOL' AND GRUB SCREW

- Locks out most types of large circuit breakers with a toggle
- Lock out 1 – 4 pole circuit breakers
- Dimensions: 125mm x 63mm x 40mm
- Made from durable plastic
- Clamping toggle 12 to 19mm
- 8mm padlock hole

SKU CODE	DESCRIPTION
PRO-CBL05-2	Large Circuit Breaker Lockout 'No Tool'
PRO-CBL05-1	Large Circuit Breaker Lockout With Grub Screw

Scan Me for up to date RRP pricing

ELECTRICAL LOCKOUT

GRIP TIGHT MCB LOCKOUT (OVER TOGGLE FITTING)

Secure mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle. The Grip Tight MCB Lockout offers superior holding power compared to other devices.

- Max 7mm dia padlock shackle
- Fits standard height toggles

SKU CODE	DESCRIPTION
PRO-CBL32	Grip Tight MCB Lockout (Over Toggle Fitting)

Scan Me for up to date RRP pricing

GRIP TIGHT MCB LOCKOUT (SIDEWAYS FITTING)

Secure mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle. The Grip Tight MCB Lockout offers superior holding power compared to other devices.

- Max 7mm dia padlock shackle
- Fits wide or tall circuit breakers

SKU CODE	DESCRIPTION
PRO-CBL31	Grip Tight MCB Lockout (Sideways Fitting)

Scan Me for up to date RRP pricing

UNIVERSAL 'NO TOOLS' MINI CIRCUIT BREAKER

Specially designed to be used in electrical boards, it can be mounted side-by-side on a circuit breaker.

- Fixation with a thumb turn dial screw
- Max 9mm dia padlock shackle
- Dial inaccessible in locked position
- Maximum clamping 10mm
- Made from durable ABS

SKU CODE	DESCRIPTION
PRO-CBL41	Universal 'No Tool' Mini Circuit Breaker

Scan Me for up to date RRP pricing

MINI CIRCUIT BREAKER 'TOGGLE LOCK'

Possibly the simplest yet most versatile MCB lockout in our range. Gives a low profile solution allowing the panel door to close with padlock fitted.

- Made from Aluminium Alloy
- Max 8.5mm padlock shackle

SKU CODE	DESCRIPTION
PRO-CBL51	Toggle Lock With Grub Screw

Scan Me for up to date RRP pricing

ELECTRICAL LOCKOUT

UNIVERSAL MULTI-FUNCTIONAL CIRCUIT BREAKER LOCKOUT

The Universal Multi-Funtional Lockout is designed to fit most circuit breakers and main switches. Extra length clearance on the toggle side allows the device to be used on standard breakers with long toggles. The opposite side of the device accommodates thicker main switches.

- Maximum clamping 9mm & 11mm
- 6.5mm dia padlock shackle

SKU CODE	DESCRIPTION
PRO-CBL06	Universal Multi-functional Circuit Breaker

Scan Me for up to date RRP pricing

MCB LOCKOUT PIN-IN STANDARD

This MCB is easy to install with the aid of a push button - no tools required. Will fit most existing single and multi-pole circuit breakers and locates into the 2 holes either side of the breaker switch.

SKU CODE	DESCRIPTION
PRO-PIS	Mini Circuit Breaker Pin-In Standard

Scan Me for up to date RRP pricing

MCB LOCKOUT PIN-OUT STANDARD

This MCB is easy to install with the aid of a push button - no tools required. Will fit most existing single and multi-pole circuit breakers and locates into the 2 holes either side of the breaker switch.

SKU CODE	DESCRIPTION
PRO-POS	Mini Circuit Breaker Pin-Out Standard

Scan Me for up to date RRP pricing

MCB LOCKOUT PIN-OUT WIDE

This MCB is easy to install with the aid of a push button - no tools required. Will fit most existing single and multi-pole circuit breakers and locates into the 2 holes either side of the breaker switch. This is a extra wide MCB for larger breakers over 60amp.

SKU CODE	DESCRIPTION
PRO-POW	Mini Circuit Breaker Pin-Out Extra Wide

Scan Me for up to date RRP pricing

ADDITIONAL VALVE LOCKOUT

RED PLASTIC GATE VALVE COVER

Each rotating gate valve is manufactured from tough lightweight dielectric Xenoy Thermoplastic meaning these rotational valve covers can withstand extreme conditions, temperature range -46˚C to 177˚C

- Outward/Inward rotation allows for easier installation & storage
- Surrounds the valve handwheel to protect against accidental operation
- Small size nests within the larger size for easy storage
- Supplied with “Locked Out” “Do Not Remove” warning message

Scan Me for up to date RRP pricing

SKU CODE	DESCRIPTION
PRO-SGVL01	Fits hand wheel 25 - 63.5mm
PRO-SGVL02	Fits hand wheel 63.5mm - 127mm

*Other Sizes available on request

BALL VALVE LOCKOUT CLAMP LEVER

These simple, easy-to-use lockouts clamp over the valve lever preventing the valve from operating and locking in place using a padlock. Can lock valves in the ‘open’ or ‘closed’positions.

Scan Me for up to date RRP pricing

SKU CODE	DESCRIPTION
PRO-ABVL03	Fits Valve 9.5mm - 31 mm
PRO-ABVL04	Fits Valve 13mm - 70mm
PRO-ABVL05	Fits Valve 73mm - 215mm

ADJUSTABLE BALL VALVE LOCKOUT SURROUND LEVER

- These simple, easy-to-use lockouts clamp over the valve lever preventing the valve from
- operating and lock in place using a padlock. Can lock valves in the ‘open’ or ‘closed’ positions.
- 2 Sizes available in stock.

Scan Me for up to date RRP pricing

SKU CODE	DESCRIPTION
PRO-ABVL01	Fits Valve 12.5mm - 63.5mm
PRO-ABVL02	Fits Valve 51 mm - 203mm

LOCKOUT STATIONS*

*BOARD PRICES ONLY
LSE301 LOCKOUT STATION

Corresponding shadow profiles of each item of equipment on the station aid easy inventory checking and guide where to replace items.

H 540mm x W 360mm

Station can hold:

- 4 x Padlocks
- 1 x Pack of 10 Tags

SKU CODE

PRO-LSE301

Scan Me for up to date RRP pricing

LSE305 LOCKOUT STATION

Corresponding shadow profiles of each item of equipment on the station aid easy inventory checking and guide where to replace items.

H 600mm x W 800mm

Station can hold:

- 50 x Padlocks
- 6 x Packs of 10 Tags
- 5 x Lockout Hasps
- 1 x Pro-lock Marker Pen

SKU CODE

PRO-LSE305

Scan Me for up to date RRP pricing

CIRCUIT BREAKER LOCKOUT STATION

Circuit breaker lockout station board has shadow profiles to highlight the position of the equipment.

H 540mm x W 440mm

Station can hold:

- 4 x Padlocks & 2 x Hasps
- 16 x MCBs & 2 x Universal Circuit Breaker
- 2 x Moulded Case Breaker Lockout
- 2 x Larger Toggle Breaker Lockout
- 3 x 10 pack reusable tags



SKU CODE

PRO-LSE315FS

Scan Me for up to date RRP pricing

***OTHER VARIATIONS OF STATIONS AVAILABLE.**

CUTTERS & SWAGERS / LOCKOUT TOOLBAG & LOCKOUT BELT POUCH

HAND SWAGER

Easily crimp and cut steel wire rope, ferrules and steel wire rope, end stops with this mobile hand held 2 in 1 swage tool.

- 24" overall length for maximum leverage with 2 built in cutters on the side of the jaw to cut your wire and 5 crimping slots.
- Will swage/crimp 2mm, 2.5mm, 3mm, 4mm and 5mm Aluminium, Copper and Stainless Steel Wire Rope Ferrules
- 3mm, 4mm and 5mm Aluminium and Copper End Stops
- Will cut all steel wire ropes up to and including 5mm overall diameter

SKU CODE

PRO-24WRT

Scan Me for up to date RRP pricing

WIRE CUTTERS

- Forged hardened alloy steel cutting blades making it strong and durable
- Angled cutting edge for clean cutting.
- Contoured sprung handles are convenient and comfortable
- Locking latch for safe storage

Cutting capacity:

- Stranded wire mild steel – 6mm diameter
- Stranded wire high tensile – 4mm diameter.

SKU CODE

PWC-HD1

Scan Me for up to date RRP pricing

LOCKOUT TOOLBAG

- This Lockout Toolbag is supplied empty so you can create your own custom kits, tailored to your specific requirements
- Please let us know at quotation what items you would like to be included
- Dimensions W350mm x D210mm x H230mm

SKU CODE

PRO-LB02

Scan Me for up to date RRP pricing

LOCKOUT BELT POUCH

- This lockout Belt Pouch is supplied empty so you can create your own custom kits, tailored to your specific requirements
- Please let us know at quotation what items you would like to be included
- Dimensions W200mm x D55mm x H130mm

SKU CODE

PRO-LB21

Scan Me for up to date RRP pricing

Official Master Lock Distributor
As an established official Master Lock distributor we have access to the full range of Master Lock products for both safety and security. We have carefully selected some of their most popular products which are shown here.

However, if there is any other Master Lock products that you require please contact us directly or go to our website to access the full range.

LIFETIME GUARANTEE
Master Lock mechanical padlocks are guaranteed to be free from mechanical defects for the life of the product. If a mechanical defect occurs, we will replace it free of charge.

2 YEAR LIMITED GUARANTEE
All other none locking products are guaranteed for a period of 2 years.

ADJUSTABLE CABLE LOCKOUT

The Adjustable Cable Lockout Device, ideal for group & multi-point lockouts, features a tough, flexible multistranded steel cable insulated with a clear plastic coating. A tough, lightweight Zenex™ Thermoplastic body withstands chemicals and performs effectively in extreme conditions

- Integrated safety lockout hasp and cable is ideal for multiple circuit breaker panels and side-by-side gate valve lockouts
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating (PVC free)
- Tough, lightweight Zenex™ Thermoplastic body withstands chemicals
- Performs effectively in extreme conditions

*Other cable lengths available on request (MOQ applies)



SKU CODE	DESCRIPTION
PRO-S806	Adjustable Cable Lockout

PRO-5215 REMOVABLE PUSH BUTTON AND ROTARY SWITCH COVER

The Removable Push Button and Rotary Switch Cover prohibits access to a switch or control. The cover fits both 30,5mm and 22,5mm diameter switches and accommodates buttons up to 50mm diameter and 45mm tall.

- Clear bases and cover allow visibility of nameplates and labels
- Horse-shoe shaped retrofit base allows use with raised nameplates and off-center installation to accommodate rotary switch knobs
- Accommodates buttons up to 50mm diameter and 45mm tall
- Includes one cover, one new install base and one retrofit base with double-faced adhesive tape

630EURD SET YOUR OWN COMBINATION PADLOCK

KEY INFORMATION:

- Product Number: 630EURD
- Description: Resettable combination, retail carded packaging
- Shelf pack Qty: 4
- Master carton Qty: 24
- Body Width: 1-3/16 in (30 mm)
- Shackle Length: 1 in (25 mm)
- Shackle Width: 9/16 in (14 mm)
- Shackle Diameter: 3/16 in (5 mm)
- Colour: Gold

SKU CODE	DESCRIPTION
PRO-S2151	Removable Push Button and Rotary Switch Cover
630EURD	Set Your Own Combination Padlock

498A LOCKOUT BOX

Accommodates up to 12 workers, or more with use of lockout hasps, lock box secures each lockout point on a piece of equipment with just one designated lock.

- Portable red group lock box - Latch Tight™
- Secure each lockout point on a piece of equipment with just one designated safety padlock
- Capture the keys from those lockout points by placing them in the lock box
- Each authorised employee locks one personal safety padlock onto the box, removing them only when their work is complete
- Exclusive Latch Tight™ feature ensures that keys cannot be accessed until the last safety padlock is removed
- Durable powder-coated red finish with an easy-to-grip, ergonomic handle
- Lock Out message in English, Spanish and French communicates to all workers
- Accommodates up to 12 workers, more with the use of lockout hasps

SKU CODE	DESCRIPTION
PRO-498A	Lockout Box

5401EURD WALL MOUNT KEY LOCK BOXES

The Master Lock No. 5401EURD Wall Mount Key Lock Box features a 3-1/4in (83mm) wide metal body for durability. The wall mount design offers permanent installation. Set your own 4-digit combination for keyless convenience and increased security. The shutter door protects combination dials from weather, dirt and grime; and molded body and vinyl coated shackle prevent scratching.

- Wall mount design for permanent installation
- Large internal cavity prevents jamming, even when holding multiple key
- Set your own combination convenience for optimal security
- Protective weather cover prevents freezing and jamming
- Molded body and vinyl coated shackle prevent scratching
- Internal dimensions: 3-1/4in (83mm) H x 2-1/4in (57mm) W x 1in (25mm) D

5481EURD - WALL MOUNT LOCK BOX

The Master Lock 5481EURD outdoor wall mount key Lock Box, sets a new standard for convenient security. It offers tried-and-true protection you can count on and easy operation for anyone accessing your home or property.

KEY INFORMATION:

- Product Number: 5481EURD
- Description: retail carded packaging
- Master carton Qty: 4
- Exterior dimensions (H x W x D): 5.4 in (136 mm) x 3 in (76 mm) x 2.2 in (56 mm)
- Weight W/o Packaging: 1.2 lb (.54 kg)
- Colour: Black

SKU CODE	DESCRIPTION
PRO-5401EURD	Wall Mount Key Lock Boxes
5481EURD	Wall Mount Lock Box

BLUETOOTH OUTDOOR **PADLOCKS**

The Master Lock No. 4401EURLHEC Bluetooth® Padlock features a 2-7/32in (56mm) wide metal body for durability. The 11/32in (9mm) diameter shackle offers 2in (51mm) vertical clearance and is made of boron alloy, offering maximum resistance to cutting and sawing. Secure your home or business with the Master Lock Vault System for unmatched security, simplicity and accountability using the latest in Bluetooth lock technology from Master Lock. These locks withstand physical attacks and hacks, protecting your property with military grade encryption and high-security features.

Administrators control individual or system-wide lock access with our convenient app and web interface options, while users enjoy simple, secure access to assigned locks or lock boxes.

- Use your smartphone to open and manage your lock with the Master Lock® Vault System compatible with both Master Lock Vault Home and Master Lock Vault Enterprise
- The free Master Lock Vault Home iOS and Android apps are designed for personal use, supporting up to 10 locks, and allows you to monitor access history
- The free Master Lock Vault Enterprise iOS and Android app and web interface are designed for business applications working with many locks and many users allowing you to easily monitor access with robust data and audit trails
- No keys to lose, no combinations to forget. No unauthorized key duplication.
- Share access with others - temporary or permanent
- Backup access using directional code on lock keypad
- Low battery notification & reminder on padlock and in app
- 2-piece weather cover for maximum outdoor protection
- Comes with easy to replace CR2 battery
- Battery jump allows for temporary access if battery dies while locked

KEY INFORMATION:

- Product Number: 4401EURLHEC
- Description: Electronic, Ecommerce Packaging
- Master Carton Qty: 24
- Body Width: 2 7/32 in (56 mm)
- Shackle Length: 2 in (51 mm)
- Shackle Width: 15/16 in (23 mm)
- Shackle Diameter: 11/32 in (9 mm)
- Colour: Black

SKU CODE	DESCRIPTION
4401EURLHEC	Bluetooth Outdoor Padlock

BLACK BLUETOOTH & ELECTRONIC **KEY SAFE**

SECURE YOUR HOME, YOUR RENTAL OR BUSINESS WITH THE MASTER LOCK VAULT SYSTEM FOR UNMATCHED SECURITY, SIMPLICITY USING THE LATEST IN BLUETOOTH LOCK TECHNOLOGY FROM MASTER LOCK.

Controlling access to your home, building sites or managing access to multiple properties has never been more convenient. The Master Lock No. 5441EUREC Bluetooth Select Access Smart offers the ultimate convenience in term of key management : everything is managed via your Smartphone.

These locks withstand physical attacks and hacks, protecting your property with military grade encryption and high-security features. Administrators control individual or system-wide lock access with our convenient app and web interface options, while users enjoy simple, secure access to assigned locks or lock boxes. For added security, consider installing Select Access® in a discrete location.

The Limited 2 Year Warranty provides peace of mind from a brand you can trust.

- Wall mount design for permanent installation (Mounting hardware included)
- The free Master Lock Vault Home iOS and Android apps are designed for personal use, supporting up to 10 locks, and allows you to monitor access history
- No keys to lose, no combinations to forget. No unauthorized key duplication.
- Backup access using numeric code on lock keypad
- Share access with others - temporary or permanent
- Tamper alerts and low battery warnings
- Easy to replace battery (CR123A preinstalled)
- Low battery notification & reminder on lock box and in app
- Inner Dimensions : 9,4 x 6,2 x 2,5 cm
- For added security, consider installing Select Access® in a discrete location

KEY INFORMATION:

- Product Number: 5441EUREC
- Exterior dimensions (H x W x D): 12.7 cm x 8.3 cm x 5.9 cm
- Colour: Black
- Description: Keyed Alike
- Shelf Pack Qty: 1
- Master carton quantity: 2

SKU CODE	DESCRIPTION
5441EUREC	Black Bluetooth & Electronic Key Safe

AVAILABLE WITH 2 STANDARD KEYING OPTIONS – KEYED ALIKE OR KEYED TO DIFFER WHICH ARE BOTH SHOWN IN THE IMAGE'S BELOW. THESE ZENEX™ LOCKOUT PADLOCKS ARE IDEAL FOR USE WITH THE PRO-LOCK® VALVE LOCKOUT SYSTEM.

- Durable, lightweight with non-conductive Zenex™ lock bodies
- High security 6 pin cylinder lock, up to 100,000 different locking mechanisms
- 1 key to each lock
- Key retaining ensures that padlocks are not left unlocked
- 8 different colour options available for clear identification
- Available keyed to differ, or keyed alike in 8 colour coded suites
- Standard 'Do Not Remove' Label and write on property labels included
- Can be engraved if required
- 38mm wide x 44mm bodies, vertical shackle clearance 38mm, shackle diameter 6.4mm
- Lock and key number records for this range can be maintained upon request

SKU CODE	DESCRIPTION
410#	**Keyed to Differ**
410KA#	**Keyed Alike**
410MK#	**Master & Differ**

Substitute # for the letter below

Green = GRN Purple = PRP Red = RED Teal = TEA
Yellow = YLW Orange = OR Blue = BLU Black = BLK

* This is just a small selection of Master lock products, we can supply ANY Master Lock product you require.

406 ZENEX™ **PADLOCKS**

- 406 Dielectric Thermoplastic Safety Padlock
- Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key
- All components are non-sparking and non-magnetic - plastic, copper, brass
- 1-1/2in (38mm) wide, 1-3/4in (45mm) tall, Thermoplastic black body, plastic shackle with 1-1/2in (38mm) clearance
- Designed exclusively for lockout tagout applications
- Durable, lightweight, non-conductive Thermoplastic lock body
- Compliance with “One Employee, One Lock, One Key” directive
- Key retaining - ensures that padlock is not left unlocked
- Keyed different, 6-pin tumbler with over 40,000 available key changes cylinder
- Commercial packaging, shelf pack qty 6, master carton qty 36

SKU CODE	DESCRIPTION
406#	**Keyed to Differ**
406KA#	**Keyed Alike**
406MK#	**Master & Differ**

Substitute # for the letter below

Green = GRN Purple = PRP Red = RED Teal = TEAL
Yellow = YLW Orange = OR Blue = BLU Black = BLK

* This is just a small selection of Master lock products, we can supply ANY Master Lock product you require.

PRO-LOCK®

Safety & Procurement Services

Pro-Lock® Safety & Procurement Services

15 Sovereign Court
Wyrefields
Poulton Industrial Estate
Poulton-Le-Fylde
FY6 8JX





info@pro-lock.co.uk

www.pro-lock.co.uk

+44 (0) 1253 811 333